Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	("6282429").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 06:40
L4	21	("455"/$).ccls. and (life$1time time$1out expir$) near (connection tunnel circuit) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:32
L5	14	(("455"/$).ccls. ("370"/$).ccls.) and (life$1time time$1out expir$) near (user mobile MN UE terminal) near (transmi$ receiv$ send$3 sent pass$3) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:38
L6	3	(("455"/$).ccls. ("370"/$).ccls.) and (life$1time time$1out expir$) near (user mobile MN UE terminal) near (notif$3) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:39
L7	12	(("455"/$).ccls. ("370"/$).ccls.) and (life$1time time$1out expir$) near (notif$3) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:40
L8	11	(("455"/$).ccls. ("370"/$).ccls.) and (life$1time time$1out expir$) near (inform$3) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:41
S1	6	(("4398063") or ("20010036164") or ("6282429")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 05:39
S2	2	("20020172175").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:06
S3	18630	(life$1time time$1out expir$) same (mobile subscriber terminal node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:32
S4	173	S3 and (370/331).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 08:28

S5	1162	(life$1time time$1out expir$) near (mobile subscriber terminal node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 09:08
S6	33	S5 and (370/331).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 08:28
S7	35	(life$1time time$1out expir$) near (trunk connection path link) and (life$1time time$1out expir$) near (mobile subscriber terminal node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 09:19
S8	16	(life$1time time$1out expir$) near (trunk connection path link) and ("370/331,328,436,439,442").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 09:23
S9	77	(life$1time time$1out expir$) near (trunk connection path link) and ("455"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 09:23
S10	12	okamura-mineo.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 09:47
S11	1723	("370"/$).ccls. and (life$1time time$1out expir$) same (connection tunnel circuit) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 05:43
S12	171	("370"/$).ccls. and (life$1time time$1out expir$) near (connection tunnel circuit) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 05:44
S13	25	("370"/$).ccls. and (life$1time time$1out expir$) near (connection tunnel circuit) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:26
S14	166	("370"/$).ccls. and (life$1time time$1out expir$) same (connection tunnel circuit) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 05:49

S15	1	("370"/$).ccls. and (life$1time time$1out expir$) same (number near (connection tunnel circuit)) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:08
S16	0	("370"/$).ccls. and ((connection tunnel circuit) same "number of") and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:11
S17	421	("370"/$).ccls. and ((connection tunnel circuit) same amount) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:12
S18	13	("370"/$).ccls. and ((connection tunnel circuit) near amount) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:20
S19	0	("370"/$).ccls. and ((connection tunnel circuit path) near (number adj1 of)) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:23
S20	0	("370"/$).ccls. and ((connection tunnel circuit path) near (number adj1 of)) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:24
S21	14	("370"/$).ccls. and ((connection tunnel circuit) near number) same (limit threshold) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:27
S22	5	("370"/$).ccls. and ((connection tunnel circuit) near per) same (limit threshold) and (hand$1over hand$1off) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:29
S23	257	((connection tunnel circuit) near per) same (limit threshold) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:30
S24	16	(connection tunnel circuit) near per near(limit threshold) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 06:41

S26	52	("2896072" | "4187398" | "4228319" | "4233473" | "4284848").PN. OR ("4398063").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 06:44
S27	1197	(life$1time time$1out expir$) near (mobile subscriber terminal node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:40
S28	636	S27 and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:59
S29	249	S28 and ("370"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:33
S30	8569	(life$1time time$1out expir$) same (notif$7 updat$3 transmi$5 send$3) same (mobile subscriber terminal node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:48
S31	48	(life$1time time$1out expir$) near (notif$7 updat$3 transmi$5 send$3 receiv$3) near (mobile subscriber terminal node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:12
S32	20	("370"/$).ccls. and @ad<"20010515" and tunnel$4 near (multipl$5 plural$) and (limit threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:09
S34	14	("370"/$).ccls. and @ad<"20010515" and (hand$1off hand$1over) same ((multipl$5 plural$) near (active soft$2)) and (limit threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:16
S35	15	("370"/$).ccls. and @ad<"20010515" and (hand$1off hand$1over) same ((multipl$5 plural$) near (active soft$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:20
S36	905	("370"/$).ccls. and @ad<"20010515" and (soft adj1 (hand$1off hand$1over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:21

S37	639	("370"/$).ccls. and @ad<"20010515" and (soft adj1 (hand$1off hand$1over)) and (limit threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:28
S38	4	S37 and (active adj1 leg?)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:28
S39	0	S37 and (number adj1 of adj1 leg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:28
S40	8	@ad<"20010515" and (soft adj1 (hand$1off hand$1over)) and (number near leg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:50
S41	0	@ad<"20010515" and (soft adj1 (hand$1off hand$1over)) and ((maximum limit) near number near leg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:37
S42	269	@ad<"20010515" and (soft adj1 (hand$1off hand$1over)) and ((maximum limit) near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:38
S43	316	@ad<"20010515" and (soft adj1 (hand$1off hand$1over)) and (releas$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:51
S44	48	@ad<"20010515" and (soft adj1 (hand$1off hand$1over)) and (limit threshold) same (releas$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:51
S45	60	@ad<"20010515" and (soft adj1 (hand$1off hand$1over)) and (maximum limit threshold) same (releas$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 05:47
S46	407	@ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over))) and (maximum limit threshold) near (connection leg (base adj1 station) BS BTS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 05:49

S47	43	@ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over))) and (maximum limit threshold) near (leg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 05:51
S48	1440	@ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over))) and (maximum limit threshold) near number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 05:53
S49	282	S48 and (("370"/$).ccls. ("455"/$). ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 05:52
S50	25	@ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over))) and (maximum limit threshold) near number near (connection leg BS BTS (base adj1 station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:51
S52	27	("370"/$).ccls. and @ad<"20010515" and (life$1time time$1out expir$) near (shorten$4 reduc$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:14
S53	86901	("370"/$).ccls. @ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over))) and (maximum limit threshold) same (connection leg BS BTS (base adj1 station)) same releas$3 same older	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:47
S55	0	("370"/$).ccls. and @ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over))) and (maximum limit threshold) same (connection leg BS BTS (base adj1 station)) same (releas$3 disconnect$) same old$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 07:23
S56	7	("370"/$).ccls. and @ad<"20010515" and (maximum limit threshold) same (connection leg BS BTS (base adj1 station)) same (releas$3 disconnect$) same old$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 07:23
S58	1035	("370"/$).ccls. and @ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:48

S59	290	("370"/$).ccls. and @ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over))) and (releas$ disconnect$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:02
S60	69	("370"/$).ccls. and @ad<"20010515" and (SHO (soft adj1 (hand$1off hand$1over))).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 11:48
S61	2	("6487596").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:46
S62	75	(455/453).ccls. and (load-balanc$ (load adj1 balanc$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:49
S64	40	S62 and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:48
S65	0	(455/453).ccls. and (mobile adj1 IP) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:50
S66	7	(455/453).ccls. and (mobile adj1 IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:50
S68	4	(455/452.2).ccls. and (mobile adj1 IP) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:58
S69	6	(455/450).ccls. and (mobile adj1 IP) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:00
S70	26	(455/445).ccls. and (mobile adj1 IP) and @ad<"20010515"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:12

| S71 | 38 | (455/436).ccls. and (mobile adj1 IP) and @ad<"20010515" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/15 14:43 |
| S72 | 339 | ("370"/$).ccls. and @ad<"20010515" and (mobile adj1 IP) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/16 06:39 |